

Calibrated on Dec. 3, 2001  
 by: Westech Performance Group

Test Description: Accel. Test - 300 rpm/second  
 Steve Dulcich - 408 ci Mopar S/B Stroker  
 TTI W2 1-7/8" Headers from Tube Tech Inc. 951-371-4878  
 Mopar Tunnel Ram 2 750 Race Demons  
 Crane 260/268 Solid Roller 1.6 Rockers 10.4 Compression

TIMING 35  
 JETS 81

Specifications:

EngBor	4.030 inches	EngStr	4.000 inches
EngCyl	8 number	Temp	70 Offset
EngCyc	4 cycles	FuelSG	0.750 ratio
VapPrs	0.50 InHg	IntLng	15 inches
StrTst	950 second		

	EngSpd RPM	STPTrq C1b-ft	STPPwr Chp	BSFC lb/hph	Fu1A+B lb/hr	WtrOut degF	LamAF1 Ratio	ManVac inHg	Oil P psig
**	4000	529.6	403.4	0.437	162.2	135	14.3	0.0	68.4
	4100	525.5	410.2	0.419	158.6	135	14.3	0.0	68.4
	4200	525.6	420.3	0.408	158.2	135	14.3	0.0	68.9
	4300	529.4	433.4	0.454	181.2	135	14.2	0.0	68.7
	4400	532.6	446.2	0.498	204.6	135	14.2	0.0	68.6
	4500	536.9	460.0	0.536	227.2	135	14.2	0.0	68.9
	4600	540.1	473.0	0.497	216.3	135	14.2	0.0	69.3
	4700	541.8	484.9	0.434	193.7	135	14.0	0.0	69.6
	4800	545.8	498.8	0.369	169.5	135	14.0	0.0	69.7
	4900	552.2	515.2	0.352	166.9	135	14.0	0.0	70.0
	5000	551.3	524.9	0.356	171.6	135	13.9	0.0	70.3
	5100	551.4	535.5	0.367	180.9	135	13.9	0.0	70.5
	5200	549.9	544.5	0.369	184.8	135	13.9	0.0	70.5
	5300	549.6	554.6	0.382	194.5	135	13.9	0.0	70.7
	5400	547.2	562.6	0.396	204.8	135	13.9	0.0	70.9
	5500	544.7	570.4	0.394	206.2	135	13.9	0.0	71.0
	5600	541.2	577.0	0.386	204.3	135	13.9	0.0	71.2
	5700	538.8	584.7	0.386	207.0	135	13.9	0.0	71.6
	5800	534.2	589.9	0.393	212.8	135	13.9	0.0	71.6
	5900	530.2	595.7	0.407	222.3	136	13.9	0.0	71.6
	6000	525.7	600.6	0.427	234.9	136	13.9	0.0	71.6
	6100	520.5	604.5	0.434	240.2	135	13.9	0.0	71.4
	6200	513.8	606.6	0.448	248.7	135	13.9	0.0	71.5
	6300	506.5	607.5	0.445	247.0	135	13.8	0.0	71.7
	6400	497.6	606.3	0.454	251.6	135	13.7	0.0	72.0
	6500	488.9	605.1	0.478	264.1	136	13.7	0.0	72.2
	6600	482.8	606.7	0.489	270.8	136	13.7	0.0	72.5
	6700	473.8	604.4	0.490	269.4	136	13.7	0.0	72.9

\*\* Range: 4000 RPM - 5900 RPM

AVG:	4950	539.9	509.3	0.412	191.4	135	14.0	0.0	70.0
MIN:	4000	525.5	403.4	0.352	158.2	135	13.9	0.0	68.4
MAX:	5900	552.2	595.7	0.536	227.2	136	14.3	0.0	71.6